


XL-ICA-P101 is a lamp type IP camera built-in with PLC (Power Line Communication) module for instantinstallation.

Based on this Instant Surveillance System, the digitalized video signal will be sent via existing power line. Therefore, the costly and ugly video cables are not longer required.

Instant Surveillance System



- · Easy to install
- · Easy to relocate
- · No cabling
- No radiation
- Light lamp holder compatible connector for instant installation
- No more costly and ugly video cables
- Digitalized video signal for antiinterference
- Multi purpose stand for wall mount and ceiling mount
- Infrared illuminators for night vision

Instant Surveillance System

The surveillance system is becoming more and more important nowadays. However, the surveillance system for home and small business applications are normally limited by high installation cost, complex configurations and ugly cables. In order to solve those problems above, the lamp type IP cam with Instant Surveillance System was developed for easy using.

PLC technology for Instant Surveillance System


This system was based on the Ethernet system which built by the PLC (Power Line Communication) module. Due to both IP cam built-in with PLC module, the Ethernet connection can be automatically established over AC power line (AC 230V). Therefore, this surveillance system can be easily installed. The costly and ugly video cables are not longer required.

Instant Surveillance System

Works with PC



Works with HVR104L



Specifications

Lamp type IP cam	
Model No	XL-ICA-P101
Sensor	1/4.5-inch color CMOS sensor
Resolution	640x480
Display FPS	7 FPS
Video compression	MJPEG
View angle	Pan: 0°~350° (anit-twist), Tilt:45°~135°
IR distance	5~10M (IR LED x 12)
Dimension(mm)	150mm(L) x 100mm(W) x 100mm(H)
Weight	900g
Power source	AC 230V
Power consumption	360mA (IR on)
Work Temperature	-10° C ~ 50° C
Storage Temperature	-30° C ~ 60° C



- * Ceiling mount * Wall mount
- * Desktop



* Lamp holder