

PR Faut PLANET

USB

WASH -

Industrial 5-Port 10/100/1000T VPN Security Gateway

IVR-100





Presentation Outlines

- Product Positioning
- Product Overview
- Product Advantages

- Product Features
- Applications
- Appendix





Product Positioning


www.planet.com.tw

Copyright © PLANET Technology Corporation. All rights reserved.



PLANET

VPN Network Security Family






Product Overview

www.planet.com.tw Copyright © PLANET Technology Corporation. All rights reserved.



Product Overview







Product Overview

Upper Panel


- ✓ 6-pin Removable Terminal Block
 - 9~48V DC redundant power input
 - Supports real-time power fault relay alarm







Product Overview





Product Advantages

Image: Contract of the second seco



P2 Faut PLANET

Brewall VPN Dual WAN


As required by customers

Full VPN Server capability provides complete data security and privacy Outbound load alancing and failover for dual-WAN to provide flexible deployment options

Complete network protection SPI Fir and Content Ideal VPN Security Router Solution for harsh environment



- Ideal Security Solution
 - The IVR-100 built-in Stateful Packet Inspection Firewall and DoS/DDoS Protection provide high performance and extensive security for your network.





Product Features

www.planet.com.tw Copyright © PLANET Technology Corporation. All rights reserved.



Product Key Features





Hardware

- ✓ 5 10/100/1000BASE-T RJ45 interfaces
 - 3 LAN ports and 1 WAN port
 - 1 undefined Ethernet port (WAN/LAN)
- ✓ 1 USB 3.0 port for system configuration backup and firmware upgrade
- Hardware-based reset button



- Industrial Case and Installation
 - ✓ IP30 metal case
 - ✓ Solid DIN-rail, wall-mount or side wall-mount design
 - ✓ Supports 6KV DC Ethernet ESD protection
 - ✓ Fault alarm for power input failure
 - ✓ DC redundant power with reverse polarity protection
 - -40 to 75 degrees C operating temperature



- Firewall Security
 - **SPI** (Stateful Packet Inspection) firewall
 - ✓ Blocks DoS/DDoS attack
 - ✓ Blocks SYN/FIN/UDP/ICMP flooding attack
 - Content filtering
 - ✓ MAC/IP filtering




VPN

- ✓ Supports IPSec (Host to Host), GRE, PPTP, L2TP, SSL VPN server
- ✓ Supports OpenVPN client
- ✓ Max. VPN clients are up to 60
- ✓ Max. Connection Tunnel Entries: 60 VPN tunnels
- Hardware acceleration
- ✓ Max. VPN throughput is 100Mbps
- Encryption methods: DES, 3DES, AES, AES-128/192/256
- ✓ Authentication methods: MD5, SHA-1, SHA-256, SHA-384, SHA-512



• Full VPN Capability


With IPSec/GRE/PPTP/L2TP/SSL VPN server, the IVR-100 provides secure data communications to branches, vendors, and mobile workers with connection to the headquarters.






IPSec VPN

IPSec VPN uses tunneling to establish a private connection for the network traffic. It uses advanced encryption standard along with other technologies for data safety.





PPTP/L2TP/SSL VPN






Network

- Outbound load balancing
- ✓ Failover for dual-WAN
- ✓ Cybersecurity
- ✓ PPPoE/Static IP/DHCP client for WAN
- 🗸 QoS
- VLAN
- ✓ IGMP Proxy
- Port forwarding/DMZ function
 - DHCP server/NTP client
- Planet DDNS/Planet EasyDDNS




Dual WAN for Internet traffic Load Balancing

Distributes the outward sessions by the usage status of each WAN





- Dual WAN for Internet Connection Failover
 - Failover is the constant capability to automatically and seamlessly switch to the other backup WAN.





Others

- ✓ Setup wizard
- Dashboard
- Supported access by HTTP or HTTPS
- Configuration backup and restoration via USB 3.0 port
- ✓ Schedule reboot
- Event message logging to remote syslog server
- ✓ **PLANET Smart Discovery Utility/UNI-NMS supported**



Setup wizard


The Wizard will guide the user to configuring VPN Security Router easily and quickly.

STEP 1 - Network Interface LAN				
1	34			
LAN	WAN Security Settings Setup Completed			
IP Address	192.168.1.1			
Netmask	255.255.255.0			
DHCP Server				
Start IP Address	192.168.1. 100			
Maximum DHCP Users	101			



Dashboard

The dashboard provides an overview of system information including connection, port, and system status.





Applications

www.planet.com.tw


Copyright © PLANET Technology Corporation. All rights reserved.



Applications

Ideal VPN Security Router

With VPN solutions, the IVR-100 provides secure data communications to branches, vendors, and mobile workers with connection to the headquarters.





Comparison Table

Copyright © PLANET Technology Corporation. All rights reserved.



Comparison Table





Appendix

www.planet.com.tw

Copyright © PLANET Technology Corporation. All rights reserved.



Appendix Sales Targets

Target Markets

- Industrial vertical market
 - factory, building, transportation, energy
- ✓ System integrator
- Tender market (public construction)
- ✓ SMB, hotel, hospital, bank, etc.



Recommended Solutions

- ✓ CS-950, VR-100, ICG-2420G-LTE, VCG-1500WG-LTE, ICG-2510WG-LTE
- ✓ For space-limited environment.
- Customers need a secure router for industrial network.





Appendix

Related VPN Network Security Products:

Model Name		Description
CS-950	Mann Unterland South Called Called	UTM Content Security Gateway
VR-100		5-Port 10/100/1000T VPN Security Router
ICG-2420G-LTE		Industrial 4G LTE Cellular Gateway with 4-Port 10/100TX
ICG-2510WG-LTE		Vehicle 4G LTE Cellular Wireless Gateway with 5-Port 10/100TX
VCG-1500WG-LTE		Vehicle 4G LTE Cellular Wireless Gateway with 5-Port 10/100TX



Appendix

Related **DIN-rail** Power Supplies

Model Name		Description
PWR-40-24		40W 24V DC Industrial DIN-rail Power Supply (Voltage Adj. Range: 24~30V)
PWR-75-48		75W 48V DC Industrial DIN-rail Power Supply (Voltage Adj. Range: 48~56V)



ACTIVATING IP POWER

www.planet.com.tw