





DH PARTNER




DH Partner




- Určena pro instalační firmy, které **nakupují** produkty Dahua
- Snadno dostupné informace o produktech a řešeních, které jsou rozšířeny o produktová videa a návody
- Sken zakoupených produktů -> získání odměn
- Pravidelný update CZ&SK produktových letáků a videí







DH Partner



- Produkty a jejich porovnání v aplikaci
- Nástroje pro výpočet kamerových parametrů
 - ohnisková vzdálenost, zatížení switche, výpočet kapacity
- Lokalizované produktové letáky
- Lokalizovaná testovací a promo videa
- Informace o akcích (omezeně), pouze po schválení DT
- Věrnostní body - za sken produktů, získání odměn (voucher)
- Kontakt v aplikaci na správce, možnost okamžitého řešení dotazů
- Při registraci zákazník automaticky získá **50 bodů**,
- Při použití doporučujícího kódu distributora při registraci získá DT 50 bodů do svého účtu
- Notifikace – platnost bodů, aktuální informace



SMB řešení - katalog










Programy odměn



| Scan QR code


| Join training

| Fill in questionnaire



Školení s DAHUA

- Digitální certifikáty po úspěšném absolvování testu z daného SMB školení



Rozšíření záruky



Co to znamená?

- **Datum začátku záruky na základě partnerské aplikace**

Záruční doba začíná běžet až od data, kdy bylo sériové číslo (SN) produktu úspěšně naskenováno prostřednictvím aplikace DH Partner a to do doby maximálně 1 rok od zakoupení produktu.

- **Počáteční data alternativní záruky**

Pokud partnerská aplikace není v zemi dostupná nebo produkt není naskenován, bude záruční doba vycházet z data prodeje DT (distributor).

- **Speciální produktové řady**

U určitých produktových řad (např. produkty Wi-Fi) začíná záruka běžet od data aktivace produktu.

Tyto podmínky se nevztahují na výkup, značky OEM nebo pevné disky. V případě projektu se záruka bude řídit podmínkami uvedenými ve smlouvě o projektu (např. kontrola přijetí produktu, datum přijetí dodávky).

Kalkulace záruky

- Prioritní pořadí data začátku záruky je následující:

1. Datum skenování partnerské aplikace
2. Datum prodeje DT (je potřeba integrovat data do dahua)
3. Datum odeslání Dahua

(Podle zásad CEEN RMA, <https://www.dahuasecurity.com/ceen/support/warrantyRma>, můžeme poskytnout 6měsíční rezervu)

<https://www.dahuasecurity.com/newsEvents/DahuaNotice/1492>



DSS OneBox



Čo to je ?

Špecifikácia



- Intel Core i7, 32GB RAM
- Four-screen 4K independent output
- Integrated GPU, decoding performance up to 30ch 1080P



Processor

Intel i7

RAM

32GB

1080P Video


30CH

Output

4 Screen

Prispôsobený HW pre DSS výkon, optimalizovany Windows

Vysoký výkon



DSS Professional v8.6


Make Your Security Easier



DSS Professional

V8.6

Security Center




What it takes to improve the operations of our VMS?

1. Nový spôsob sledovania

Video Tracking

01

Konfiguracia




- Administrátor nakonfiguruje prepojenie kamier a rozloženie ikon v obraze
- Operátor môže využívať a kedykoľvek zapnúť alebo vypnúť túto funkciu



02

Optické sledovanie




- Sledovanie v realnom čase , uľhčí prácu operátorom
- Možnosť využitia prepojenia aj pri prehľadávaní kamier v zázname



03

Viac spôsobov zobrazenia




- **Jedno okno:** Sledovanie v jednom okne umožní sledovanie aj iných kamier
- **Viac oknové:** kompletná zmena obrazovky, zobrazenie všetkých priradených kamier



1. Nový spôsob sledovania



DSS V8.6 Visual Tracking




Let's make security easy


1. Označenie záznamu - záložka

Video záložky

Rýchla záložka




Detailná záložka



- Možnosť vytvorenia v živom obraze a nasledneho upravovania neskôr.
- Rýchle vytvorenie behom 1 sekundy / 1 klik

Nahraté záložky




- Možnosť upravovania rýchlej záložky
- Možnosť priameho vytvorenia v zázname
- Viac informácií a poznámok ktoré môže operátor pridať k záložke

- DSS ponúka jednoduché vyhľadávanie

DSS Professional


V8.6

Prístupové systémy




2. Access Management | Access Control

Globálny Anti-passback




01

**Lokálny
Anti-passback**
V rámci jedného
zariadenia




02

**Globálny
Anti-passback**
Možnosť vytvorenia
zóny alebo kompletnej
trasy ktorá sa musí
prejsť.




Konfigurácia kariet




2. Návštevnícky modul

Návštevnícky Terminál

Registrácia



Návšteva



Odobrenie zamestnancom



Úspešna registrácia

Verifikácia



Navšteva




HTML5



Odoslanie



Potvrdenie



Email



Nenáročné

Pohodlné

Dosledovateľné



2. *Návštevnický terminál*



ASV5001A



Vertical design, free placement

2 Megapixel cameras

Support Document Scanner

Support Label printer


Support for the issuance and recovery of IC cards

Available in two colors


DSS Professional

V8.6

Parkovací Modul




3. Parkovací modul – overenie




3. Parkovací modul – LED

Informačné LED




- **Platform Mode:** Configure the display content on the device's web client, and the platform will send the information to the device according to the configuration;
- NEW** • **Managed Mode:** Configure the content displayed on the screen, such as license plate, owner, vehicle group, entry time, available parking spaces, etc.

Navigačné LED



- NEW** • **Display by Available Space Rule:** Set the display content according to the remaining parking spaces, which can be set separately for three intervals and full parking lot;
- **Rich Display Content:** Support for displaying placeholders, arrows(V8.6 added support for ↶↷), numbers, letters, icons, and other content.

Vonkajšie navigačné LED



- **Configure the Direction of the Arrow:** Select arrow direction, left or right;
- NEW** • **Color Display Config:** Set the display color according to the remaining parking spaces, which can be set separately for three intervals and full parking lot.

3. Parkovací modul – kategórie miest



DSS Parking Lot

Parking Space Status | **Parking Info on Parking Spaces** | **Parking Info on Vehicles**

Parking Lot Organization

Search...

Total / Offline: 9 / 0

Available: 8

Occupied: 1

Abnormal: 0

Parking Space Category: VIP

Search

Refresh

Device Offline

Search...

C01

C02

License Plate Mode

CK329ED

DSS Parking Lot

Parking Space Status | **Parking Info on Parking Spaces** | **Parking Info on Vehicles**

Filter

Parking Space: Unlimited

Data Type: Day

Time: 2025-01-05

Parking Duration: 0 - 24 H

Search

Reset

Statistics

Total Parking Spaces: 9

Average Parking Duration: 2hour(s)40min(s)

Longest Parking Duration: 1day(s)

Shortest Parking Duration: 0min(s)

Export

Send Report

Parking Space ID	Parking Space Category	Parking Lot	Organization	Total Parking Time
1	Uncategorized Parki...	1199	Current Site	0min(s)
2	Uncategorized Parki...	1199	Current Site	0min(s)
3	Uncategorized Parki...	1199	Current Site	0min(s)
4	Uncategorized Parki...	1199	Current Site	0min(s)
5	Uncategorized Parki...	1199	Current Site	0min(s)
6	Uncategorized Parki...	1199	Current Site	0min(s)
C01	VIP	Parking Building_1199	Current Site	0min(s)
C02	Uncategorized Parki...	Parking Building_1199	Current Site	1day(s)
C03	Uncategorized Parki...	Parking Building_1199	Current Site	0min(s)

Total 9 Record(s)

1

20/Page

Až 6 kategórií



.....

Rezervovanie parkovacích miest

Konfigurácia času

Status každého parkovacieho miesta v živom náhľade

Štatistika parkovania

Zmena statusu pri alarme

3. Parkovací modul – vizualizácia

The screenshot displays the Alhua DSS Parking Lot monitoring interface. The top navigation bar includes the DSS logo, home icon, and tabs for Parking Lot, Monitoring Center 1, Person and Vehicle Info, and Parking Lot. The right side of the bar shows a notification bell with '0', a user profile, and the time '20:36:18 UTC+08:00'.

The main interface is divided into several sections:

- Left Sidebar:** Contains navigation options: Statistics Dashboard, Entrance and Exit Monitoring, Info Search, Parking Info, Visualized Parking Lot, and Parking Lot Configuration.
- Top Bar:** Includes a back arrow, '1F' floor indicator, and filters: Parking Space Filter, Show Device, Rectangle, Reset, and Hide Plate No.
- Layers Panel:** A search bar and a status indicator showing '1F' with 'Available/All' and '7/8'.
- Main View:** A large map of the parking lot floor plan. It shows various parking spaces with different colors and icons. A legend on the right explains these indicators:
 - Available (Blue square)
 - Occupied (Orange square)
 - Abnormal (Red square)
 - Offline (Grey square)
 - Reserved Parking Space (Star icon)
 - Uncategorized Parking Spa... (Grey square)
 - VIP (Yellow star icon)
 - Green (Green star icon)
 - Visitor (Cyan star icon)
- Annotations:**
 - A yellow arrow points from the 'Layers' search bar to the main map.
 - A yellow arrow points from the legend to a specific parking space in the main map.
 - A yellow arrow points from the text 'Reserved parking space occupied and timeout alert' to a red-outlined parking space in the main map.

3. Parkovací modul – časový harmonogram a limity



Prekročenie limitu je možné konfigurovať pre každé miesto osobitne.

Overtime Parking Rule Config

Rule List


- General Overtime Rule
- Working Day Overtime Rule
- Weekend Overtime Rule
- Custom**

Rule Details

Monday

Period	Overtime Parking Threshold	Operation
00:00 – 08:00	60 Minutes	⊖
08:01 – 17:00	15 Minutes	⊖
17:01 – 23:59	60 Minutes	⊖

Overtime parking detection will not be performed during periods that were not configured.



- 6 časových pasiem
- Podpora až 128 pravidiel.

3. Parkovací modul – časový harmonogram a limity



DSS V8.5 & Public parking




Street parking with an alarm notification

DSS Professional

V8.6

DeepXplore



What it takes to get the most out of the video analysis and search?

4. DeepXplore | Reverzná analýza

Recording Task

Task Name	Channel Name	Task Progress	Analysis Results	Analysis Status	Operation
Task-3	Channel1	100%	0	Stop	[Icons]
Task-2	172.13.89.411...	15%	0	Executing	[Icons]
Task	IPC1	18%	23	Executing	[Icons]
Recording Task-1	acupick	100%	0	Failed	[Icons]


Add Recording Task

Basic Info

- Task Name: [Input Field]
- Target to be Analyzed:
 - ☐ Face
 - ☐ Human Body
 - ☐ Motor Vehicle
 - ☐ Non-Motor Vehicle
- Select Channels: [Dropdown]
- Selected (0): [List]
- Analysis Time: 01-10 09:54:34 - 01-10 10:54:34 [Range Picker]
- Storage Location: Central Storage [Dropdown]
- Intelligent Analysis Device: 172.13.89.137 [Dropdown]

Video Analysis Results

Image	Name	Channel Name	Capture Time	Identification Records	Gender	Operation
[Image]	Unknown	IPC	2025-01-10 13:45:02	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:57	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:44	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:41	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:32	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:27	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:23	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:23	No	Male	[Icons]
[Image]	Unknown	IPC	2025-01-10 13:44:10	No	Male	[Icons]



- Spätná analýza neanalytických kamier
- Jednoduché vytvorenie úloh
- Možnosť nahratia videa z iného zdroja napríklad mobilný telefón

4. DeepXplore | Reverzná analýza



DSS V8.6

Reverse Analysis




Analyze any video
source or video file

4. DeepXplore | Multi servrové riešenie




Možnosť využitia vzhľadávania aj na iných serveroch



DSS Professional

V8.6

Intelligené analýzy





What it takes to get the most out of the video analysis and search?

5. Inteligené analýzy – využitie Metadát



Reference statistics for directional metadata in the scene.



DSS Professional

V8.6

EcoSystem

What it takes to show the power of integrating?



7. Rozpoznanie tváre



GDPR a ochra osobných údajov

- Prispôsobené pre použitie v EU krajinách
- Možnosť zapnutia alebo vypnutia

DSS

System Parameters

Security Config

Message Retention Period

Time Sync

Central Intelligent Server

Email Server

Active Directory

POS Config

Device Adding Config

Remote Logs

Independent Database Dep...

Mobile App Config

Network Device Protocol C...

Privacy Policy

Privacy Policy

Store Face Snapshot Records

After it is enabled, the face snapshot records will be saved. Use this function ethically and securely in accordance with applicable laws. It is strictly prohibited to use it for any form of mass surveillance, human behavior distortion, discrimination, harm, detrimental or unfavourable treatment, or violation of the legal rights of relevant subjects. You're fully liable for improper use. Do Not carry out secondary development on the existing product, the resulting functions shall have no connection with this product. Do not use this product in any situation that violates applicable laws. You shall be fully responsible for any consequences arising from the improper use of this product. To avoid unnecessary legal disputes, please operate with caution and strictly abide by relevant laws and regulations.

Store Face Snapshot Records

After it is disabled, the platform will not display or store face snapshot records that do not include comparison records.

8. P2P vs Auto register



From this version DSS does not support recordings of the cameras / devices which are connected through P2P connection

P2P

- Does not require static public IP address
- Using public P2P servers
- Supports only cameras and encoders
- Supports only Live View and status of devices

Auto register

- More professional service
- Security and Stability
- Requires Static Public IP address or DDNS
- Supported by most of the Dahua devices
- Possibility to record streams from devices

P2P Management

P2P



After it is enabled, the platform can add devices through P2P, access the P2P cloud server address, and use P2P hole punching to open the device webpage.

If there are devices added through P2P on the platform, P2P cannot be disabled. Only after all the devices that were added through P2P have been deleted from the platform, can P2P be disabled.

Viac info ??? Sledujte naše YouTube kanály



Dahua CZ a SK kanál

<https://www.youtube.com/@DahuaCZSK>

Dahua DSS PRO kanál

<https://www.youtube.com/dahuadsspro>

Dahua Technology Czech & Slovak
@DahuaCZSK · 644 subscribers · 159 videos

Oficiální kanál společnosti Dahua Technology Czech & Slovak, která dodává dohledové sy...more
facebook.com/DahuaCZSK and 1 more link

Subscribed

Home Videos Live Playlists

Videos ▶ Play all

HOW TO: TPC-BF5441-T-S2 -
Nastavenia termálnej kamer...

44 views · 13 days ago

Predstavenie novej
Termálnej kamery TPC-...

114 views · 2 weeks ago

Jedna kamera za tri:
Trojnásobná sila v jedinej...

276 views · 3 weeks ago

Predstavujeme Acupick
2.0

164 views · 1 month ago

- Software -

Dahua DSS Pro
@DahuaDSSPro · 2.01K subscribers · 135 videos

DSS PRO is VMS from Dahua Technology. This channel will help you to discover beauty of ...more

Customize channel Manage videos

Home Videos Live Playlists Community

Latest Popular Oldest

DSS V8.5 & DSS Agile 8
Mobile phone APP

VMS in your pocket

233 views · 6 days ago

How to
configure
Generic Event

369 views · 12 days ago

DSS V8.5
IPC-MFW5241T2-E3-ASE

UP to 100 meters
3x lens

Best camera for perimeter protection

915 views · 2 weeks ago

Parking Smart: Parking Safe

DSS Professional Parking Lot Management Application

224 views · 1 month ago



DSS Professional V8.7


Make Your Security Easier



DSS Professional

V8.7

Uživatel'ské práva Správa zariadení



How to implement more secure user management?

1. Správa zariadení

Nová organizácia zariadení


Stara správa



- ✗ Only the device nodes can be maintained under the organization

Nová správa

NEW



- ✓ Channel resources can be directly maintained under the organization
- ✓ The device and its channels can be maintained under different organizations


1. Správa zariadení



Nová organizácia práv

01


Iba správa zariadení



- **User permissions:** Device node permissions (view/operate devices); No channel resource permissions
- **Typical modules:** Event Center, Maintenance Center

02


Práva pre sledovanie kamier



- **Typical business scenarios:** live view, playback, intelligent analysis, etc.
- **Interface display:** hide device node, only display channels

03

Kombinácia práv




- **Typical business scenarios:** Integrated operations requiring device-channel association
- **Note:** Due to the particularity of the **alarm controller**, the zone cannot be directly maintained under the organization. It needs to follow the device.

DSS Professional

V8.7

Security Center



What it takes to improve the operations of our VMS?

3. Monitorovacie centrum - túra

Tour

Aplikovateľné v monitorovacích centrách

Large-scale, multi-region real-time monitoring scenarios



Zdroje



Video



pohľady



IP Speaker



Pristupový
terminál



Intercom




Mapa



www

.....

Metody túr NEW




Interval:

Zvolenie času alebo
intervalu

Časový plán:


Zdroje na monitore
sa menia na základe
časového
harmonogramu



3. Monitorovacie centrum - Watermark

DSS V8.7

How to create Visible Watermark



3. Monitorovacie centrum



Nové funkcie



USB Joystick

- Podpora základných funkcií USB joysticku

Fishey kamera

- Podpora Fisheye kamier iných výrobcov , ONVIF

Majiteľ zariadenia

- Možnosť pridať nové informácie ku každému zariadeniu

Dátové toky

- Optimalizácia dátových tokov

Nové informácie DeepXplore

- Jazdný pruh, rýchlosť auta

3. Nové možnosti alarmov



Abandoned Shopping
Cart Items



Shopping Cart Detection



Shelf Replenishment



Theft Detection



Boat Tripwire



Boat Intrusion



High Water Level Alarm



Low Water Level Alarm



Classroom
Behavior Analysis



Back Detection



Walking Detection



Blackboard Writing
Detection



Head-up Detection




Stand Detection



Posture Behavior Analysis



Drone Tripwire



Drone Intrusion




Animal Intelligent Events

4. Prístupové systémy



Scanner krvného riečišťa

DHI-ASI8216DA-W




- Built-in Android 11 operating system.
- Elegant 2.5D screen.
- Comes with an 8-inch LCD with a resolution of 800 (H) × 1280 (V).
- 2-MP CMOS dual-lens camera with true WDR functions.
- High-performance image sensor enables recognition even in low light conditions. No need for illumination.
- Supports 100,000 users, 100,000 faces, 500,000 cards, 20,000 palm veins, 50 administrators, and 300,000 records.
- Offers multiple unlock methods including face, IC card, palm vein, password and QR code. You can also combine them to create your own personal unlock methods.
- Recognizes faces 0.3 m to 3.0 m away (0.98 ft–9.84 ft), and detects persons between the height of 0.9 m and 2.4 m (2.95 ft–7.87 ft) when the camera is installed at a height of 1.4 m (4.5 ft).
- Powered by the face recognition deep learning algorithm, the device can accurately locate over 360 key points on the face of a target.
- Faces can be recognized within 0.2 seconds, enabling seamless passage.
- **Performs palm vein recognition at 7–15 cm away.**
- Liveness detection is used to detect spoof attempt, such as using a photo or video to gain access.
- Supports face mask detection

DSS Professional

V8.7

Mobilne kamery



How to dispatch personnel in real time?

5. Mobilné kamery – detekcia tváry a EČV



MDVR/MXVR/MNVR



MPT



Supports **two-way audio** between police vehicle and dispatch center



Supports officers to send **SOS alarm** to center with one tap for seeking help

7. Parking Lot



Parking Info on Parking Spaces

Query Parking Info
by Time Range

Statistics Dashboard

Entrance and Exit Monitoring

Info Search

Parking Info

Visualized Parking Lot

Parking Lot Configuration

Parking Space Status

Parking Info on Parking Spaces

Parking Info on Vehicles

Filter

Parking Space

Unlimited

Data Type

Period

Time

05-21 00:00:00 - 05-21 23:59:59

Parking Duration

0 - 1440 Mins

Export

Send Report

Send Report

Export

Send Report

Total Parking Spaces

8

Average Parking Duration

1min(s)

Longest Parking Duration

1min(s)

Shortest Parking Duration

0min(s)

Parkin...	Parkin...	Parkin...	Organ...	00:00-...	01:00-...	02:00-...	03:00-...	04:00-...	05:00-...	06:00-...	07:00-...	08:00-...	09:00-...	10:00-...	Tot...	
1	Un...	xc	Curren...	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	
10	Un...	xc	Curren...	1min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	1min(s)	
2	Un...	xc	Curren...	1min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	0min(s)	1min(s)	
3	Un...	xc	Curren...	1min(s)												
4	Un...	xc	Curren...	1min(s)												
7	Un...	xc	Curren...	1min(s)												
8	Un...	xc	Curren...	0min(s)												
9	Un...	xc	Curren...	0min(s)												

Export

Send Report

Export

Send Report

Parking S...

Parking ...

Parking ...

Organiz...

Average ...

Daily Lo...

Daily Sh...

Idle Days

Sunday

Monday

Tuesday

Wednes...

Total ...

1	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ All
10	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Daily Shortest Parkin...
2	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Idle Days
3	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Wednesday
4	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Tuesday
7	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Monday
8	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☒ Sunday
9	Unca...	xc	Current ...	0min(s)	0min(s)	0min(s)	1	0min(s)	0min(s)	0min(s)	☐ OK Reset

Total 8 Record(s)

New Report Detail Fields:

- Period, Daily, Weekly, Monthly, Custom

8. DeepXplore WizSeek



DSS 8.7

WIZSEEK

Man with gun ?
Man drinking ?
Police car?
Ambulance?
Toyota Taxi?
BMW black SUV?




8. DeepXplore WizSeek



Ako to funguje

IVSS 7108 – 2I



IVD 5148 – 2I



9. Eco System



Online API - nástroj

Viac ako 150 cyklov , priklady kodu.

Jednoduchá integrácia

The screenshot shows the DSS API Debugging Tool interface. On the left, there's a sidebar with sections: "Login Info", "Account Info" (with fields for Username and Password), "Login Authentication" (with "Trigger Authentication" and "Submit Credentials" buttons), "Token" (with a "Token" field), "Token Alive" (with "Keepalive" and "Update Token" buttons), and "Debug Info Config". The main area is split into "Request" and "Response" sections, both showing large black redacted areas. The top bar says "DSS | API Debugging Tool" and "About".

Login Authentication

Token Alive

Debug Info Configuration

Request Parameters

Verification

